Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040203788"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 19:31
L2	2	"20050090259"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 19:31
L3	2	"20050043051"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 19:32
S1	2	"6018521".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 19:30
S2	2	"6317609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:06
S3		"6374102".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:07
S4	2	"6385195".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:07
S5	2	"6487406".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:07
S6	89274	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:29

S7	24911496	@ad<="20031215" or @rlad<="20031215" or	US-PGPUB; USPAT;	OR	ON	2006/04/13 09:37
		@ptad<="20031215" or @pt1d<="20031215" or @pt3d<="20031215"	EPO; JPO; DERWENT; IBM_TDB			
S8	74131	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:09
S9	100	((gateway wap) near5 (handoff handover hand?off hand?over (hand\$3 adj (off over)))) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:00
S10	44	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:11
S11	2	`"20050128981"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 10:35
S12	89274	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:29
S13	100	((gateway wap) near5 (handoff handover hand?off hand?over (hand\$3 adj (off over)))) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:29
S14	24911496	@ad<="20031215" or @rlad<="20031215" or @ptad<="20031215" or @pt1d<="20031215" or @pt3d<="20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 18:59
S15	74131	S12 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:30
S16	803908	S13 na d10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:34

	1	Г	1		Γ	
S17	44	S13 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 11:34
Si8	2	"20040203788"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:10
S19	2	"20050128981"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:10
S20	25176588	@ad<="20031215" or @rlad<="20031215" or @ptad<="20031215" or @pt1d<="20031215" or @pt3d<="20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 18:59
S21	0	((low\$4 adjust\$4 vary\$4) near6 (power signal)) near10 (handoff handover hand?off hand?over (hand\$3 adj (off over)))) with (server near3 ("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:02
S22	0	((low\$4 adjust\$4 vary\$4) near6 (power signal)) near10 (handoff handover hand?off hand?over (hand\$3 adj (off over)))) same (server near3 ("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:03
S23	2	((low\$4 adjust\$4 vary\$4) near6 (power signal)) near10 (handoff handover hand?off hand?over (hand\$3 adj (off over)))) and (server near3 ("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:25
S24	0	((low\$4 adjust\$4 vary\$4) near6 (power signal)) with (handoff handover hand?off hand?over (hand\$3 adj (off over)))) same (server near3 ("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:26
S25	2	((low\$4 adjust\$4 vary\$4) near6 (power signal)) with (handoff handover hand?off hand?over (hand\$3 adj (off over)))) and (server near3 ("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:26

S26	12	((low\$4 adjust\$4 vary\$4) near6	US-PGPUB;	OR	ON	2006/04/12 19:28
		(power signal)) same (handoff handover hand?off hand?over (hand\$3 adj (off over)))) and (server near3 ("sip" (session near3 protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S27	11	S20 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:26
S28	1	((low\$4 adjust\$4 vary\$4) near6 (power signal)) same (handoff handover hand?off hand?over (hand\$3 adj (off over)))) same (("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:29
S29	19	((low\$4 adjust\$4 vary\$4) near6 (power signal)) with (handoff handover hand?off hand?over (hand\$3 adj (off over)))) and (("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:38
S30	15	S20 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 19:30
S31	25177770	@ad<="20031215" or @rlad<="20031215" or @ptad<="20031215" or @pt1d<="20031215" or @pt3d<="20031215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:37
S32	1	((low\$4 adjust\$4 vary\$4) near6 (power strength signal)) same (handoff handover hand?off hand?over (hand\$3 adj (off over)))) same (("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:39
S33	74	(power strength signal) same (handoff handover hand?off hand?over (hand\$3 adj (off over)))) same (("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:46
S34	65	S31 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:40

			,			
S35	3	((adjust\$4 low\$4 chang\$4 vary\$4) near6 (power strength)) same (handoff handover hand?off hand?over (hand\$3 adj (off over)))) same (("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:57
S36	59	((adjust\$4 low\$4 chang\$4 vary\$4) near6 (power strength)) same (handoff handover hand?off hand?over (hand\$3 adj (off over)))) and (("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:36
S37	53	S31 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:37
S38	884	((adjust\$4 low\$4 chang\$4 vary\$4) near6 (power strength)) with (handoff handover hand?off hand?over (hand\$3 adj (off over)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:57
S39	109	((portable mobile cellular handheld hand?held \$phone (personal near3 digital) pda (mobile adj station) (user near2 equipment)) near5 (adjust\$4 low\$4 chang\$4 vary\$4) near6 (power strength)) with (handoff handover hand?off hand?over (hand\$3 adj (off over))) with (base near3 station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:15
S40	102	S31 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:59
S41	148	(low\$4 near6 (power transmission)) with (handoff handover hand?off hand?over (hand\$3 adj (off over))) with (base near3 station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:44
S42	135	S31 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:17
S43	22	(low\$4 near6 (power transmission)) with (sip (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:45

S44	19	S31 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:45
S45	8	((low\$4 adjust\$4) near5 (power strength signal)) same ("sip" (session near3 protocol)) and (handoff handover hand?off hand?over (hand\$3 adj (off over)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:50
S46	120	((low\$4 adjust\$4) near5 (power transmission)) same ("sip" (session near3 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:56
S47	105	S31 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:51
S48	3874	((cellular \$phone mobile pda (portable near3 digital)) near5 (chang\$4 low\$4 adjust\$4) near5 (power strength transmission)) same ((base near3 station) network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:05
S49	1479	((cellular \$phone mobile pda (portable near3 digital)) near5 (low\$4) near5 (power strength transmission)) with ((base near3 station) network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2006/04/13 12:06
S50	938	((cellular \$phone mobile pda (portable near3 digital)) near5 (low\$4) near5 (power strength transmission)) with ((base near3 station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:09
S51	891	S31 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:07
S52	48	((cellular \$phone mobile pda (portable near3 digital)) near5 (low\$4) near5 (power strength transmission)) with ((base near3 station)) with (handoff handover hand?off hand?over (hand\$3 adj (off over))) with (base near3 station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:12

						y
S53	47	S31 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:09
S54	84	((cellular \$phone mobile pda (portable near3 digital) terminal) near5 (low\$4 adjust\$4) near5 (power strength transmission)) with ((base near3 station)) with (handoff handover (hand\$3 adj (off over)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:20
S55	79	S31 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:14
S56	49	((cellular \$phone mobile pda (portable near3 digital) terminal) near5 (decreas\$4) near5 (power strength transmission)) with ((base near3 station)) with (handoff handover (hand\$3 adj (off over)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:35
S57	46	S31 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:21
S58	57	((cellular \$phone mobile pda (portable near3 digital) terminal) near5 (reduc\$4) near5 (power strength transmission)) with ((base near3 station)) with (handoff handover (hand\$3 adj (off over)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:35
S59	53	S31 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:41
S60	2	"20050043051"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 12:41